

Building Product Information Requirements

BPIR — Product Information Sheet

Building (Building Product Information Requirements) Regulations 2022

1. Product Details

Series Name	[600x600 Polished Series]
SKUs Covered	[FTDDL66502NF,FTDLK66603M,FTDMT66605M,FTDF66606M ,SM-68011,SF-C60145,GF-DIP1T60264,VF-DI1T60111,SF- C60815,SF-DIP1U60887,GF-DIP1T60416,SM-68009,GF-JB606 ,GF-JB605,GF-JB604,GF-JB603,GF- JB601,FTD68014,FTD68013,SF-DI1T60452,SF- C60455,FTDMC6092,GF-L66014,GF-L66015,GF- B60405,VD66401,GF-B60408,GF-B60406,GF- B60401,DSM6006CE ,LF-DI1U60038,LF-DI1U60037,LF-DI1U60036,SF- DI1U60775,DSM6001CE,GF-Z60302,GF-Z60301,GF- DI1U60106 ,GF-DI1U60104,GF-DI1U60101,SF-DI1T60016,LF-DIP1T60011 ,LF-DIP1T60007,SF-DI1T60013,SF- JC60432,FTDBM6H6010,FTD6600M,FTD60057M,FTDAA6502, FTDCB6Y017PA,FTDCB6Y018PA,FTDCB6Y204,FTDXH6600P, GB12601,GW88606]
Product Type	Porcelain Tile
Intended Use	[Wall / Floor]

2. Manufacturer Information

Manufacturer	[NEWPEARL Group Co., Ltd.]
Address	[Taobo Boulevard Tao Bo Da Dao, Chan Cheng Qu, Fo Shan Shi, Guang Dong Sheng, China]
Website	[https://www.newpearl-global.com/]
Email	[newpearlglobal@newpearl.com]

3. Importer Information

Importer	La Perla Limited
Trading Name	La Perla Limited
NZBN	9429042027713
Address	1/123 Pilkington Road, Panmure, Auckland 1072, New Zealand
Website	https://newpearl.co.nz/

Email

info@laperla.co.nz

4. Relevant Building Code Clauses

NZ Building Code Clause	Description
B2	Durability
E3	Internal Moisture
F2	Hazardous Building Materials

5. Product Performance

Property	Value / Rating
Water Absorption	[≤ 0.5%]
Surface Finish	[Matt/Polished]
Breaking Strength	[≥ 1300 N]
Abrasion Resistance	[PEI 4]
Chemical Resistance	[Class A]
Frost Resistance	[Pass]
Tile Thickness	[9mm / 10mm]
Tile Sizes (this series)	[600×600]

6. Compliance Statement

The product contributes to compliance with the New Zealand Building Code through:

- Low water absorption
- High mechanical strength
- Durable ceramic surface
- Resistance to wear and moisture

Supporting documentation includes:

- ISO 10545 Test Reports
- Technical Data Sheet
- Manufacturer Test Certificates

7. Scope of Use

Suitable for:

- ☒ Residential floors
- ☒ Residential walls
- ☒ Commercial floors
- ☒ Commercial walls
- ☐ Wet areas

- ☒ Internal applications
- ☐ External applications

8. Limitations on Use

This product shall not be:

- Used as a structural building element
- Used in applications beyond manufacturer's recommendations
- Installed on unstable substrates
- Used where a higher slip rating is required without further assessment

9. Design Requirements

The building designer shall ensure:

- Correct tile selection for intended use
- Appropriate slip resistance classification
- Suitable substrate design
- Adequate movement joints

10. Installation Requirements

Installation shall be completed:

- By competent tradespersons
- In accordance with AS 3958
- Using suitable adhesives and grouts
- Following manufacturer's instructions

11. Maintenance Requirements

Routine maintenance includes:

- Cleaning using pH-neutral detergent
- Avoiding harsh acidic cleaners
- Maintaining grout joints
- Replacing damaged tiles where necessary

12. Warning or Ban Statement

This product is not subject to a warning or ban under Section 26 of the Building Act 2004.

◆. Document Control

Field	Value
Document Number	[BPIR-LP600600]
Version	[1.0]

Issue Date	[23 June 2026]
Review Date	[23 June 2027]
Prepared by	La Perla Limited / Newpearl New Zealand Limited